

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	1	((THOMAS) near2 (HESELTINE)).INV.	US-PGPUB; USPAT	OR	ON	2009/01/16 09:49
L9	1	L8 and(generat\$3 or obtaining)same(face or facial) and (set or plurality or plural \$1)adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:49
L10	142	(generat\$3 or obtaining)same (face or facial)same surface adj structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:50
L11	15	L10 and transform\$3 and (space or 2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:53
L12	13	L11 and(@ad<"20031009" or @rlad<"20031009" or @prad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:54
L13	7	L12 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:55
L14	0	L10 and transform\$3 and reduction adj space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:56
L15	123	transform\$3 and reduction adj space and(facial or face)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:57
L16	123	L15 and transform\$3 and (space or 2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:57
L17	0	L16 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:57

L18	99	L16 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:58
L19	0	L18 and wavelets and vector and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:58
L20	18	L18 and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:58
L21	15	L20 and(@ad<"20031009" or @rlad<"20031009" or @prad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:59
L22	13	L20 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 09:59
L23	7	reduction adj space and(facial or face)same vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:02
L24	5	L23 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:02
L25	1	L24 and transform\$3 and (space or 2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:05
L26	0	L25 and euclidean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:08
L27	0	L25 and mahalanobis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:09

L28	0	L25 and cosine adj distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:09
L29	1	L25 and (PCA or principal adj component adj analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:10
L30	0	L29 and (fishers adj linear adj discriminant adj analysis or FLDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:12
L31	0	L20 and euclidean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:13
L32	0	L20 and (PCA or principal adj component adj analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:13
L33	0	L20 and(fishers adj linear adj discriminant adj analysis or FLDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:14
L34	3816	(face or facial)and(PCA or principal adj component adj analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:14
L35	23	L34 and(fishers adj linear adj discriminant adj analysis or FLDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:14
L36	15	L35 and transform\$3 and (space or 2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:15
L37	0	L36 and transform\$3 and reduction adj space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:15

L38	0	L36 and reduction adj space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:16
L39	3	L36 and euclidean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:16
L40	2	L39 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:16
L41	0	L40 and mahalanobis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:16
L42	0	L40 and cosine adj distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/16 10:16
S1	3	"4155072".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 12:52
S2	15403	image adj recognit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:00
S3	71	S2 and(generat\$3 or obtaining)same(face or facial) same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:14
S4	44	S3 and(@ad<"20031009" or @rlad<"20031009" or @prad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:16
S5	0	S4 and transform\$3 and space3 adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:17

S6	12	S4 and transform\$3 and (space or 2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:18
S7	8	S6 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:18
S8	369	S2 and(generat\$3 or obtaining)same(face or facial) adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:19
S9	128	S8 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:20
S10	102	S9 and(@ad<"20031009" or @rlad<"20031009" or @prad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:20
S11	72	S10 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:20
S12	325	S2 and(generat\$3 or obtaining)same(face or facial) and (set or plurality or plural \$1)adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21
S13	134	S12 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21
S14	47	S13 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21
S15	72	S13 and(@ad<"20031009" or @rlad<"20031009" or @prad<"20031009" or @ptad<"20031009")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:21

S16	21	S14 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:41
S17	17	S16 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:45
S18	1	S17 and line and wavelets and vector and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:53
S19	1	S18 and image adj identificat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:54
S20	28	S2 and(generat\$3 or obtaining)same(face or facial) adj image\$1 same structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:58
S21	0	S2 and(generat\$3 or obtaining)same(face or facial) adj image\$1 same surface adj structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:59
S22	17	S2 and(generat\$3 or obtaining)same(face or facial) adj image\$1 same surface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:59
S23	9	S20 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:59
S24	1	S23 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 16:59
S25	1	S24 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:00

S26	1	S25 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:00
S27	0	S26 and line and wavelets and vector and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:00
S28	0	S26 and wavelets and vector and curvature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:00
S29	1	S26 and wavelets and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:00
S30	3	S23 and image adj identificat \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:01
S31	0	S30 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:03
S32	2	S30 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:04
S33	0	S32 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:04
S34	0	S32 and wavelets and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:04
S35	134	S12 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:06

S36	112	S35 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:06
S37	26	S36 and wavelets and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:07
S38	15	S37 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:07
S39	4	S38 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:07
S40	1152	S2 and(generat\$3 or obtaining)same(face or facial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:08
S41	200	S40 and feature adj extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:08
S42	139	S41 and(edge\$1 or contour\$1 or border\$3 or boundar\$3 or peripher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:08
S43	76	S42 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:08
S44	32	S43 and wavelets and vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:09
S45	13	S44 and @ad<"20031009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:09
S46	125	((JAMES) near2 (AUSTIN)). INV.	US-PGPUB; USPAT	OR	ON	2009/01/14 17:15

S47	1	((NICHOLAS) near2 (PEARS)). INV.	US-PGPUB; USPAT	OR	ON	2009/01/14 17:15
S48	1	((THOMAS) near2 (HESELTINE)).INV.	US-PGPUB; USPAT	OR	ON	2009/01/14 17:15
S49	1	S46 and(generat\$3 or obtaining)same(face or facial) and (set or plurality or plural \$1)adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:16
S50	1	S49 and transform\$3 and(2D or three adj dimensional\$1 or 3D or 3-D or two adj dimensional\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:16
S51	1	S47 and(generat\$3 or obtaining)same(face or facial) and (set or plurality or plural \$1)adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/14 17:16

1/16/09 10:18:49 AM

C:\Documents and Settings\SChawan\My Documents\EAST\Workspaces\5739.wsp